



# VILLAGE of WESTCHESTER

10300 ROOSEVELT RD. 60154  
Phone (708) 345-0199 Fax (708) 345-0884

## Application for Concrete Permit

(please print)

Name of Resident: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_  
street city state zip

Contractor: \_\_\_\_\_ Phone: \_\_\_\_\_

Contractor's Address: \_\_\_\_\_  
street city state zip

Fees: Driveway: \$75 Approach: \$25 Minimum: \$50 (stairs, walks etc) Patio: \$50 Curb Cut: \$15

A guaranteed deposit of \$250.00 is required for any work adjacent to a street or public walk. This deposit may be in the form of cash or check posted by the CONTRACTOR ONLY. This check must be made separate from any permit fee.

A Plat of Survey must be submitted with this application for all driveways.

Driveway: Concrete \_\_\_\_\_ Asphalt \_\_\_\_\_ Paving Bricks \_\_\_\_\_ Curb Cut YES / NO

Flat Work: Sidewalk \_\_\_\_\_ Patio \_\_\_\_\_ Stairs \_\_\_\_\_ Stone/Brick Wall \_\_\_\_\_ Other \_\_\_\_\_

Cost of Work: \_\_\_\_\_

### Code Specification

**Curbs:** All curbs within the driveway aprons shall be done in a manner so as to cause the driveway, curb within the driveway and street or public way to all be the same level to prevent any bump when traveled upon.

**Concrete:** All concrete shall be 6 bag mix (4000psi) for flat work and 5 ½ bag mix (3500psi) for footings and foundations. All air entrained.

**Approach, public sidewalk and garage slab:** 5" thick concrete over 4" compacted gravel fill. Welded wire mesh (6 x 6 x W1.4 x W1.4) 2-1/2" below surface. ½ " expansion joints at the sidewalk and curb. (WWM not required on sidewalk)

**Driveway and other flat work:** Minimum of 5" thick concrete over 4" compacted gravel fill. Control joints every 12 to 15 feet. ½ " expansion joints at garage apron, public sidewalk and against house foundation. (WWM is required on driveway)

**Asphalt:** Base course shall be 4" of thoroughly compacted gravel. Surface course 2" minimum

**Brick Pavers @ drive:** 10" CA6, 1 - 2" sand or limestone.

**Brick Pavers @ patio:** 6" stone, 1 - 2" sand.

**Dumping or placement or broken concrete or gravel on the street is not allowed. Violation may result in the loss of the guarantee deposit and/or suspension**

You must contact the Building Department (708-345-0199) and schedule the necessary inspection(s) before the pouring or covering of any flatwork. Concrete may not be placed if rain is predicted.

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Print Name: \_\_\_\_\_

Fee Paid: \_\_\_\_\_ Code: \_\_\_\_\_ Date: \_\_\_\_\_ Permit Number: \_\_\_\_\_